

Bearing Number	Dimensions (mm)				Loads (KN)		Permissible speed	
	d	D	B	r(smin)	Cr	Cor	Grease	Oil
605RS	5	14	5		1.05	0.5	20000	26000
625RS	5	16	5		1.88	0.68	32000	26000
635RS	5	19	6		2.8	1.02	28000	36000
628/6RS	6	13	5		1.08	0.42	34000	43000
619/6RS	6	15	5		1.48	0.6	32000	4000
606RS	6	17	6		1.95	0.72	3000	38000
626RS	6	19	6		2.8	1.05	28000	36000
628/7RS	7	14	5		1.18	0.5	32000	4000
619/7RS	7	17	5		2.02	0.8	3000	38000
607RS	7	19	6		2.88	1.08	28000	36000
627RS	7	22	7		3.28	1.35	26000	34000
628/8RS	8	16	5		1.32	0.65	30000	38000
619/8RS	8	19	6		2.25	0.92	28000	36000
608RS	8	22	7		3.32	1.38	26000	34000
628RS	8	24	8		3.35	1.4	24000	32000
628/9RS	9	17	5		1.6	0.72	28000	36000
619/9RS	9	20	6		2.48	1.08	27000	34000
609RS	9	24	7		3.35	1.4	22000	30000
629RS	9	26	8		4.45	1.95	22000	30000
61800RS	10	19	5	0.3	1.8	0.93	28000	36000
61900RS	10	22	6	0.3	2.7	1.3	25000	32000
6000RS	10	26	8	0.3	4.55	1.96	30000	36000
6200RS	10	30	9	0.6	5.1	2.39	25000	30000
63000RS	10	35	11	0.6	8.2	3.5	23000	27000
6202RS	15	35	11	0.6	7.75	3.6	24000	24000
6302RS	15	42	13	1	11.4	5.45	17000	21000
6803RS	17	26	5	0.3	2.63	1.57	26000	30000
6903RS	17	30	7	0.3	4.6	2.55	24000	29000
16003RS	17	35	8	0.3	6.8	3.35	22000	26000
6003RS	17	35	8	0.3	6.8	3.35	22000	26000
6203RS	17	40	12	0.6	9.6	4.6	18000	21000
6303RS	17	47	14	1	13.5	6.55	11000	19000
6403RS	17	62	17		22.7	10.8	11000	15000
6804RS	20	32	7	0.3	4	2.64	22000	26000
6904RS	20	37	9	0.3	6.35	3.7	19000	23000
16004RS	20	42	8	0.3	7.9	4.5	18000	21000
6004RS	20	42	12	0.6	9.4	5.05	18000	21000
6204RS	20	47	14	1	12.8	6.65	16000	18000
6304RS	20	52	15	1.1	15.9	7.9	14000	17000
62/28/20RS	20	58	16	1	17.9	9.75		
6206/20RS	20	62	16	1	19.5	11.75		
6204/22RS	22	47	14	1	12.8	6.65		
60/22RS	22	44	12	0.6	9.8	5.05	14000	17000
62/22RS	22	50	14	0.6	12.9	6.8	14000	17000
63/22RS	22	56	16	1.1	18.4	9.25	13000	16000
6204/22.217RS	22.217	47	14	1	12.8	6.65		
62/22.225RS	22.225	52	15	1	14	7.85		
62/23RS	23	56	15		20.7	10.6		
6805RS	25	37	7	0.3	4.3	2.94	18000	22000
6905RS	25	42	9	0.3	7	4.5	16000	22000
16005RS	25	47	8	0.3	6.95	4.6	15000	18000
6005RS	25	47	12	0.6	7.74	4.96	15000	18000
6205RS	25	52	15	1	14	7.85	13000	16000
6305RS	25	62	17	1	21.2	10.9	12000	14000
63/25RS	25	62	16	0.3	21.2	10.9	12000	14000
6405RS	25	80	21		38.2	19.2	8500	11000
60/28RS	28	52	12	0.6	12.5	7.4		
62/28RS	28	58	16	1	17.9	9.75		
63/28RS	28	68	18	1.1	26.7	14	11000	13000
60/29RS	29	52	12	0.6	12.5	7.4		

6806RS	30	42	7	0.3	5.35	3.8	15000	18000	
6906RS	30	47	9	0.3	7.25	5	14000	17000	
16006RS	30	55	9	0.3	9.95	6.55	13000	15000	
6006RS	30	55	13	1	13.2	8.3	13000	15000	
6206RS	30	62	16	1	19.5	11.75	11000	13000	
63/30RS	30	68	18	0.3	35.8	19			
6306RS		7	19	1.1	26.7	15	10000	12000	
6406RS	30	90	23	1.5	47.5	24.5	8000	10000	
60/32RS	32	58	13	1	15	9.15			
63/32RS	32	75	20	1.1	29.8	16.9	9500	11000	
6307RS	32	80	23	1.5	39.7	21.5	6000	10000	
6807RS	35	47	7	0.3	4.75	3.8	14000	16000	
6907RS	35	55	10	0.6	10.4	7.15	12000	15000	
16007RS	35	62	9	0.3	11.7	8.15	12000	14000	
6007RS	35	62	14	1	16	10.3	12000	14000	
6207RS	35	72	17	1.1	25.7	15.3	9800	11000	
6307RS	35	80	21	1.5	33.5	19.1	8800	10000	
63/35RS	35	80	21	1.5	39.7	21.6			
6407RS	35	100	25	0.3	56.8	29.5		6500	
69.8RS	40	62	12	0.6	13.7	9.95	11000	13000	
16008RS	40	68	9	0.3	11.1	8.55	10000	12000	
6008RS	40	68	15	1	16.8	11.5	10000	12000	
6208RS	40	80	18	1.1	29.1	17.8	8700	10000	
6308RS	40	90	23	1.5	40.5	24	7800	9200	
6408RS	40	110	27	1.3	65.5	37.5	6300	8000	
6809RS	45	58	7	0.3	5.35	4.9	11000	13000	
6909RS	45	68	12	0.6	14.1	10.9	10000	12000	
16009RS	45	75	10	0.6	12.9	10.5	9200	11000	
6009RS	75	75	16	1	20.9	15.2	9200	11000	
16009RS	45	75	16	1	20.9	15.2	9200	11000	
6009RS	45	75	16	1	20.9	15.2	9200	11000	
6010RS	50	80	16	1	21.8	16.6	5000	10000	
6210RS	50	90	20	1.1	35	23.2	7100	8600	
6310RS	50	110	27	2	62	38.5	6400	7500	
6410RS	50	130	31		92.2	55.2	5300	6300	
6811RS	55	72	9	0.3	8.8	8.1	8700	10000	
6911RS	55	80	13	1	16	16.2	8200	9600	
16011RS	55	90	11	0.6	15.2	13.5	7700	90000	
6011RS	55	90	18	1.1	29.3	21.3	7700	90000	
6211RS	55	100	21	1.5	43.5	29.2	6400	7700	
6311RS	55	120	29	2	71.5	45	5800	6800	
6303X2-RS	17	47	17	1	13.6	6.55	11000	19000	
6207YA-RS	35	72	17	1.1	28.3	14.9	6300	11000	
6411RS	55	140	33		100	62.5	4800	6000	
6812RS	60	78	10	0.3	11.5	10.6	8000	9500	
6912RS	60	85	13	1	15.2	13.5	7600	9000	
16012RS	60	95	11	0.6	16.2	14.3	7100	8500	
6012RS	60	95	18	1.1	29.4	23.2	7100	8500	
6212RS	60	110	22	1.5	52.5	36	6000	7100	
6312RS	60	130	31	2.1	82	52	5400	6300	
6412RS	60	150	35		109	70	4500	5600	
6813RS	65	85	10	0.6	11.9	11.5	7500	8700	
6913RS	65	90	13	1	17.4	16	7100	8500	
16013RS	65	100	11	1	20.5	18.6	67200	8000	
6013RS	65	100	18	1.1	30.5	25.2	6700	8000	
6313RS	65	140	33	2.1	92.5	59.5	4900	6000	
6316RS	65	140	33	2.1	92.5	59.5	3400	6000	
6413RS	65	160	37	2.1	118	78.5	4300	5300	
6814RS	70	90	10	0.6	12.1	11.9	7000	8100	
6914RS	70	100	16	1	23.7	21.1	6500	7700	
16014RS	70	110	13	0.6	26.8	23.6	6100	7100	
6014RS	70	110	20	1.1	38	31	6100	7100	

6214RS	70	125	24	1.5	62	44	5100	6300
6314RS	70	150	35	2.1	104	68	4600	5400
6414RS	70	180	42		140	99.5	3800	4500
6815RS	75	95	10	0.6	12.5	12.8	6500	7600
6915RS	75	105	16	1	20.8	19.7	6200	7200
16015RS	75	115	13	0.6	27.6	25.3	5700	6700
6015RS	75	115	20	1.1	39.5	33.5	5700	6700
6215RS	75	130	25	1.5	49.5	49.5	4800	5600
6315RS	75	160	37	2.1	113	77	4300	5000
6415RS	75	190	45		154	115	3600	4300
6815RS	80	100	10	0.6	12.7	13.3	6000	7100
6916RS	80	110	16	1	27.6	25.3	5700	6700
16016RS	80	125	14	0.6	32	29.6	5300	6300
6016RS	80	125	22	1.1	47.5	39.5	5300	6300
6216RS	80	140	26	2	72.5	53	4500	5300
6316RS	80	170	39	2.1	123	86.5	4000	4800
6416RS	80	200	48		163	125	3400	4000