

Bearing Number	Dimensions (mm)				Loads (KN)		Permissible speed	
	d	D	B	r(smin)	Cr	Cor	Grease	Oil
6203NR	17	47	14	1	13.5	6.55	16000	19000
6303NR	17	47	14	1	13.5	6.55	11000	19000
6403NR	17	62	17		22.7	10.8	11000	15000
6004NR	20	47	12	0.6	12.8	6.65	18000	21000
6204NR	20	47	14	1	12.8	6.65	16000	18000
6304NR	20	52	15	1.1	15.9	7.9	14000	17000
62/28/20NR	20	58	16	1	17.9	9.75		
6206/20NR	20	62	16	1	19.5	11.75		
6204/22NR	22	47	14	1	12.8	6.65		
60/22NR	22	44	12	0.6	9.8	5.05	14000	17000
TM63/22NR	22	56	16	1.1	20.72	10.46		
63/22NR	22	56	15	1.1	18.4	9.25		
6204/22. 217NR	22. 217	47	14	1	12.8	6.65		
62/22. 225NR	22. 225	52	15	1	14	7.85		
62/23NR	23	56	15		20.7	10.6		
16005NR	25	47	8	0.3	6.95	4.6	15000	18000
6005NR	25	47	12	0.6	7.74	4.96	15000	18000
6205NR	25	52	15	1	14	7.85	13000	16000
6305NR	25	62	17	1	21.2	10.9	12000	14000
63/25NR	25	62	16	0.3	21.2	10.9	12000	14000
6405NR	25	80	21		38.2	19.2	8500	11000
60/28NR	28	52	12	0.6	12.5	7.4		
60/28NR	28	52	12	0.6	12.5	7.4		
62/28NR	28	58	16	1	17.9	9.75		
63/28NR	28	68	18	1.1	26.7	14	11000	13000
60/29NR	29	52	12	0.6	12.5	7.4		
6906NR	30	47	9	0.3	7.25	5	14000	17000
16006NR	30	55	9	0.3	9.95	6.55	13000	15000
6006NR	30	55	13	1	13.2	8.3	13000	15000
6206NR	30	62	16	1	19.5	11.75	11000	13000
63/30NR	30	68	18	0.3	35.8	19		
6306NR	30	72	19	1.1	26.7	15	6700	12000
6406NR	30	90	23	1.5	47.5	24.5	8000	10000
60/32NR	32	58	13	1	15	9.15		
63/32NR	32	75	20	1.1	29.8	16.9	6500	11000
6307NR	32	80	23	1.5	39.7	21.5	6000	10000
6807NR	35	47	7	0.3	4.75	3.8	14000	16000
6907NR	35	55	10	0.6	10.4	7.15	12000	15000
16007NR	35	62	9	0.3	11.7	8.15	12000	14000
6007NR	35	62	14	1	16	10.3	12000	14000
6207NR	35	72	17	1.1	25.7	15.3	9800	11000
6307NR	35	80	21	1.5	33.5	19.1	8800	10000
63/35NR	35	80	21	1.5	39.7	21.6		
6407NR	35	100	25	0.3	56.8	29.5		6500
16008NR	40	68	9	0.3	11.1	8.55	10000	12000
6008NR	40	68	15	1	16.8	11.5	10000	12000
6208NR	40	80	18	1.1	29.1	17.8	8700	10000
6308NR	40	90	23	1.5	40.5	24	7800	9200
6009NR	45	75	16	1	20.9	15.2	9200	11000
6010NR	50	80	16	1	21.8	16.6	5000	10000
6210NR	50	90	20	1.1	35	23.2	7100	8600
6310NR	50	110	27	2	62	38.5	6400	7500
6410NR	50	130	31		92.2	55.2	5300	6300
6811NR	55	72	9	0.3	8.8	8.1	8700	10000
6911NR	55	80	13	1	16	16.2	8200	9600
16011NR	55	90	11	0.6	15.2	13.5	7700	90000
6011NR	55	90	18	1.1	29.3	21.3	7700	90000

6211NR	55	100	21	1.5	43.5	29.2	6400	7700
6311NR	55	120	29	2	71.5	45	5800	6800
6411NR	55	140	33		100	62.5	4800	6000
6812NR	60	78	10	0.3	11.5	10.6	8000	9500
6912NR	60	85	13	1	15.2	13.5	7600	9000
16012NR	60	95	11	0.6	16.2	14.3	7100	8500
6012NR	60	95	18	1.1	29.4	23.2	7100	8500
6212NR	60	110	22	1.5	52.5	36	6000	7100
6312NR	60	130	31	2.1	82	52	5400	6300
6412NR	60	150	35		109	70	4500	5600
6813NR	65	85	10	0.6	11.9	11.5	7500	8700
6913NR	65	90	13	1	17.4	16	7100	8500
16013NR	65	100	11	1	20.5	18.6	67200	8000
6013NR	65	100	18	1.1	30.5	25.2	6700	8000
6313NR	65	140	33	2.1	92.5	59.5	4900	6000
6316NR	65	140	33	2.1	92.5	59.5	3400	6000
6413NR	65	160	37	2.1	118	78.5	4300	5300
6814NR	70	90	10	0.6	12.1	11.9	7000	8100
6914NR	70	100	16	1	23.7	21.1	6500	7700
16014NR	70	110	13	0.6	26.8	23.6	6100	7100
6014NR	70	110	20	1.1	38	31	6100	7100
6214NR	70	125	24	1.5	62	44	5100	6300
6314NR	70	150	35	2.1	104	68	4600	5400
6414NR	70	180	42		140	99.5	3800	4500
6815NR	75	95	10	0.6	12.5	12.8	6500	7600
6915NR	75	105	16	1	20.8	19.7	6200	7200
16015NR	75	115	13	0.6	27.6	25.3	5700	6700
6015NR	75	115	20	1.1	39.5	33.5	5700	6700
6215NR	75	130	25	1.5	49.5	49.5	4800	5600
6315NR	75	160	37	2.1	113	77	4300	5000
6415NR	75	190	45		154	115	3600	4300
6815NR	80	100	10	0.6	12.7	13.3	6000	7100
6916NR	80	110	16	1	27.6	25.3	5700	6700
16016NR	80	125	14	0.6	32	29.6	5300	6300
6016NR	80	125	22	1.1	47.5	39.5	5300	6300
6216NR	80	140	26	2	72.5	53	4500	5300
6316NR	80	170	39	2.1	123	86.5	4000	4800
6416NR	80	200	48		163	125	3400	4000